

Safety data sheet according to Regulation (EU) 2015/830

Printing date 04.08.2017

Version number 5

Revision: 04.08.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name: PRO.OIL**
- **Article number: 507600**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against Protective base coat oil**
- **Manufacturer/Supplier:**
VERMEISTER S.p.A.
Loc. Fornaci
I-24050 Mornico al Serio (Bergamo)
Tel. +39/035.4428190 Fax: +39/035.4428075
- **Further information obtainable from: roberta.fracchiolla@vermeister.com**
- **1.4 Emergency telephone number: +39/035 4428190**

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
The product is not classified as hazardous to health or environment according to the CLP regulation.
The product is classified according to Reg (EC) No 1272/2008

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008 Void**
- **Hazard pictograms Void**
- **Signal word Void**
- **Hazard statements Void**
- **Additional information:**
Safety data sheet available on request.

- **2.3 Other hazards**
ANY RESIDUE PRODUCT COULD SELF-COMBUST and cloths and tools impregnated with the oil must be soaked in water and, before being disposed of, they must be left to dry in the open air, in areas where there are no risks of flames spreading.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**
- **Description:**
Mixture of hazardous substances according to Reg. (EC) No. 1272/2008 and /or substances with a Community workplace exposure limit and/or substances classified as PBT/vPvB or included in Candidate List listed below

- **Dangerous components:**

EC number: 918-481-9 Reg.nr.: 01-2119457273-39	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics ⚠ Asp. Tox. 1, H304	25-50%
CAS: 112-34-5 EINECS: 203-961-6 Reg.nr.: 01-2119475104-44	2-(2-butoxyethoxy)ethanol ⚠ Eye Irrit. 2, H319	2.5-10%

(Contd. on page 2)

Safety data sheet according to Regulation (EU) 2015/830

Printing date 04.08.2017

Version number 5

Revision: 04.08.2017

Trade name: PRO.OIL

(Contd. of page 1)

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
 - **General information:** No special measures required.
 - **After inhalation:** Supply fresh air; consult doctor in case of complaints.
 - **After skin contact:** Generally the product does not irritate the skin.
 - **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
 - **After swallowing:** If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
No special measures required.
Open and handle receptacle with care.
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** Keep respiratory protective device available.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.

(Contd. on page 3)

Safety data sheet according to Regulation (EU) 2015/830

Printing date 04.08.2017

Version number 5

Revision: 04.08.2017

Trade name: PRO.OIL

(Contd. of page 2)

- 7.3 **Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

- **8.1 Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

112-34-5 2-(2-butoxyethoxy)ethanol

WEL	Short-term value: 101.2 mg/m ³ , 15 ppm
	Long-term value: 67.5 mg/m ³ , 10 ppm

- **DNELs**

64742-95-6 Solvent naphtha (petroleum), light arom.

Oral	DNEL Long-term-systemic effects	11 mg/Kg bw/day (Consumers)
Dermal	DNEL Long-term-systemic effects	25 mg/Kg bw/day (Workers)
		11 mg/Kg bw/day (Consumers)
Inhalative	DNEL Long-term-systemic effects	150 mg/m ³ (Workers)
		32 mg/m ³ (Consumers)

- **Additional information:** The lists valid during the making were used as basis.

- **8.2 Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Store protective clothing separately.

- **Respiratory protection:**

Not necessary in well-ventilated environments. In the case of insufficient ventilation, use a mask with a filter type A (EN 14387).

- **Protection of hands:**



Use protective gloves that guarantee complete protection in compliance with standard EN 374.

- **Material of gloves** PVC, neoprene or rubber

- **Eye protection:**



If there is a risk of spray, wear safety spectacles.

Eye protection must meet standard EN 166.

- **Body protection:**

No special precautions are required. In any case, wear clothing in cotton or rubber, for example, that guarantees complete protection of the skin.

- **Risk management measures**

All the personal protective equipment must comply with the European reference standards (such as EN 374 for the gloves, EN 166 for the safety spectacles and EN14387 for the safety mask). Such equipment must be kept in good working order and stored appropriately. The service life of the protective equipment against chemical agents depends on various factors (type of use, climate factors and methods of storage), which may considerably reduce the service life envisaged by the EN standards. Always consult the supplier of the

(Contd. on page 4)

Safety data sheet
according to Regulation (EU) 2015/830

Printing date 04.08.2017

Version number 5

Revision: 04.08.2017

Trade name: PRO.OIL

(Contd. of page 3)

protective equipment. Instruct the worker on how to use the equipment provided.

Thermal risks: None

Environmental exposure controls: None

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

· Form:	Fluid
· Colour:	Clear
· Odour:	Characteristic
· Odour threshold:	Not determined.

· **pH-value:** Not determined.

· Change in condition

· Melting point/freezing point:	Undetermined.
· Initial boiling point and boiling range:	175°C

· **Flash point:** >60°C

· **Flammability (solid, gas):** Not applicable.

· **Ignition temperature:** 225°C

· **Decomposition temperature:** Not determined.

· **Auto-ignition temperature:** Product is not selfigniting.

· **Explosive properties:** Product does not present an explosion hazard.

· Explosion limits:

· Lower:	Not determined.
· Upper:	Not determined.

· **Vapour pressure:** Not determined.

· **Density at 20°C:** 0.885 g/cm³

· **Relative density** Not determined.

· **Vapour density** Not determined.

· **Evaporation rate** Not determined.

· **Partition coefficient: n-octanol/water:** Not determined.

· Viscosity:

· Dynamic:	Not determined.
· Kinematic at 40°C:	51 mm ² /s

· **9.2 Other information** See the product label for information on the provisions of Directive 2004/42/EC about VOCs (if applicable).

SECTION 10: Stability and reactivity

· **10.1 Reactivity** No further relevant information available.

· **10.2 Chemical stability**

· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

(Contd. on page 5)

Safety data sheet according to Regulation (EU) 2015/830

Printing date 04.08.2017

Version number 5

Revision: 04.08.2017

Trade name: PRO.OIL

(Contd. of page 4)

- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values relevant for classification:**

64742-95-6 Solvent naphtha (petroleum), light arom.

Oral	LD50	>6,800 mg/kg (rat)
Dermal	LD50	>3,400 mg/kg (rab)
Inhalative	LC50/4 h	>10.2 mg/l (rat)
	EC50	1-2.5 mg/l (Algae)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

Ecological data about the product: not available.

- **12.1 Toxicity**

- **Aquatic toxicity:**

64742-95-6 Solvent naphtha (petroleum), light arom.

LC50 (96h)	41-45 mg/l (Pimephales promelas)
	2.34 mg/l (Oncorhynchus mykiss)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.

- **Additional ecological information:**

- **General notes:**

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.

- **12.5 Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 6)

Safety data sheet
according to Regulation (EU) 2015/830

Printing date 04.08.2017

Version number 5

Revision: 04.08.2017

Trade name: PRO.OIL

(Contd. of page 5)

- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation** Smaller quantities can be disposed of with household waste.
- **Uncleaned packaging:** Empty containers should be disposed or recovered.
- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

- | | |
|--|-----------------|
| · 14.1 UN-Number
· ADR, IMDG, IATA | Void |
| · 14.2 UN proper shipping name
· ADR, IMDG, IATA | Void |
| · 14.3 Transport hazard class(es)
· ADR, ADN
· Class | Void |
| · 14.4 Packing group
· ADR, IMDG, IATA | Void |
| · 14.5 Environmental hazards: | Not applicable. |
| · 14.6 Special precautions for user | Not applicable. |
| · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code | Not applicable. |
| · UN "Model Regulation": | Void |

SECTION 15: Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
Reg. (EC) No.1907/2006 (REACH) and further modifications;
Reg. (EC) No. 1272/2008 (CLP) and further modifications;
Dir. 2004/42/EC (VOC), if applicable.
- **Chemical safety assessment** not available
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 55

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
H304 May be fatal if swallowed and enters airways.

(Contd. on page 7)

Safety data sheet
according to Regulation (EU) 2015/830

Printing date 04.08.2017

Version number 5

Revision: 04.08.2017

Trade name: PRO.OIL

(Contd. of page 6)

H319 Causes serious eye irritation.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Asp. Tox. 1: Aspiration hazard – Category 1