

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Trade name : Earls MulTFill

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Ready To Use Interior\Exterior Filler that can be used on many surfaces including wood, brick, concrete, tile, drywall and metal

Use of the substance/mixture : Professional use

1.3. Details of the supplier of the safety data sheet**Timbermate Group**1042 N Mountain Suite 291
Upland CA 91786

Toll Free Phone (855)500-MATE

Phone: (909)931-2100

Fax: (909)543-4333

Web: www.timbermategroup.com

1.4. Emergency telephone numberEmergency number : Toll Free Phone: (855) 500-6283
(909) 931-2100 (business hours)**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****GHS-US classification**

Not classified

2.2. Label elements**GHS-US labelling**

No labelling applicable

2.3. Other hazards

other hazards which do not result in classification : Dust may cause mechanical irritation.

2.4. Unknown acute toxicity (GHS-US)

Not applicable

SECTION 3: Composition/information on ingredients**3.1. Substances**

Not applicable

3.2. Mixture

This product does not contain any substance presented in above cut-off concentration limits that classified as hazardous in accordance with paragraph (d) of §1910.1200

SECTION 4: First aid measures**4.1. Description of first aid measures**

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. In all cases of doubt, or when symptoms persist, seek medical advice.

First-aid measures after skin contact : Brush off loose particles from skin. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persist.

Earls MultiFill

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

First-aid measures after ingestion : If swallowed, rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Obtain emergency medical attention. Call a POISON CENTER or doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Not expected to present a significant hazard under anticipated conditions of normal use. If user operations generate dust or fumes, dust or fumes may cause irritation of the eyes, skin and respiratory tract.

Symptoms/injuries after inhalation : In the event of fire or where user operation generates fume: excessive exposure to decomposition products may cause poisoning, produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgement, and unconsciousness followed by coma and death.

Symptoms/injuries after eye contact : Dusts are mechanical irritants. Dust from this product may cause eyes irritation.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire. Foam. Dry powder. Carbon dioxide. Water fog.

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions : Keep upwind. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment. Avoid generation of dust. Use low-pressure medium fog streams to avoid dust clouds.

Protective equipment for firefighters : Do not enter fire area without proper protective equipment, including respiratory protection.

Other information : Vapours are heavier than air and may travel considerable distance to an ignition source and flash back to source of vapours. Gas/vapour heavier than air. May accumulate in confined spaces, particularly at or below ground level. Avoid dust clouds in combination with static electricity.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Avoid breathing dust. Avoid skin and eye contact. Eliminate all ignition sources if safe to do so.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Sweep or shovel spills into appropriate container for disposal. Gather the product and place it in a spare container that has been suitably labelled. Store away from other materials. Avoid generation of dust. Wash contaminated spill area with soap and water. Consult the appropriate authorities about waste disposal. Ensure all national/local regulations are observed. For disposal of solid materials or residues refer to section 13: "Disposal considerations".

6.4. Reference to other sections

No additional information available

Earls MultiFill

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Obtain special instructions before use. Read label before use. When not in use, keep containers tightly closed. If handling results in dust generation or high temperatures, local exhaust ventilation should be provided to insure that exposure to dust or decomposition products does not exceed the exposure recommended levels. Avoid creating or spreading dust. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. For further information refer to section 8: Exposure-controls/personal protection.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practices. Always wash hands and face immediately after handling this product, and once again before leaving the workplace. Separate working clothes from town clothes. Launder separately. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Ensure adequate ventilation. A washing facility/water for eye and skin cleaning purposes should be present.
- Storage conditions : Keep only in the original container in a cool well ventilated place. Keep container tightly closed. Protect from humidity and water. Keep away from open flames, hot surfaces and sources of ignition.
- Storage temperature : This product should be kept in a cool place, preferably below 30 °C (86 °F)

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Limestone (1317-65-3)		
ACGIH	ACGIH TWA (mg/m ³)	10 mg/m ³
OSHA	OSHA PEL (TWA) (mg/m ³)	15 mg/m ³ (total dust) 5 mg/m ³ (respirable dust)

8.2. Exposure controls

- Appropriate engineering controls : Use adequate general or local ventilation to keep airborne concentrations below the exposure limits. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
- Personal protective equipment : Avoid all unnecessary exposure. Protective goggles. Gloves. Protective clothing. For certain operations, additional Personal Protection Equipment (PPE) may be required.



- Hand protection : Wear protective gloves. (preferably elbow-length). For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.
- Eye protection : Where contact with eyes or skin is likely, wear suitable protection.
- Skin and body protection : Wear suitable protective clothing. PVC (Polyvinyl chloride). Rubbers.
- Respiratory protection : Respirators may be required if respirable and total dust exposure limits are exceeded or irritation is experienced. Wear appropriate mask.
- Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

- Physical state : Solid
- Appearance : Paste.
- Colour : Variation of colours
- Odour : Slight odour
- Odour threshold : No data available
- pH : No data available

Earls MultiFill

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: ≈ 100 °C at 100kPa
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: 2.37 kPa at 20°C (water vapour pressure)
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: ≈ 2.13 Specific Gravity
Solubility	: Water: completely soluble
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

heat/sparks/open flames/hot surfaces. moisture and water.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Not classified (Based on available data, the classification criteria are not met)
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met)
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met)
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)

Earls MulTFill

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
Specific target organ toxicity (single exposure)	: Not classified (Based on available data, the classification criteria are not met)
Specific target organ toxicity (repeated exposure)	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)
Symptoms/injuries after inhalation	: In the event of fire or where user operation generates fume: excessive exposure to decomposition products may cause poisoning, produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgement, and unconsciousness followed by coma and death.
Symptoms/injuries after eye contact	: Dusts are mechanical irritants. Dust from this product may cause eyes irritation.

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

Earls MulTFill	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

Earls MulTFill	
Bioaccumulative potential	Not established.

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on ozone layer	: No additional information available
Effect on the global warming	: No additional information available
Other information	: Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Non-contaminated packages may be recycled. If product contaminated, it may be possible to reclaim the product by filtration, distillation or some other means, if according to local regulations. Solid waste may be sent to a designated landfill site. Ensure all national/local regulations are observed. Dispose of contents/container to comply with applicable local, national and international regulations.
Additional information	: Do not re-use empty containers. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose containers to flames, sparks, heat, or other potential ignition sources.
Ecology - waste materials	: Avoid release to the environment.

SECTION 14: Transport information

In accordance with DOT
Not regulated for transport

Additional information

Other information	: No supplementary information available.
-------------------	---

ADR

No additional information available

Transport by sea

No additional information available

Earls MultiFill

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

Limestone (1317-65-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

Limestone (1317-65-3)

Listed on the Canadian NDSL (Non-Domestic Substances List)

WHMIS Classification Class D Division 2 Subdivision A - Very toxic material causing other toxic effects

EU-Regulations

Limestone (1317-65-3)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Classification according to Regulation (EC) No. 1272/2008 [CLP]

No additional information available

Classification according to Directive 67/548/EEC or 1999/45/EC

No additional information available

15.2.2. National regulations

Limestone (1317-65-3)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

15.3. US State regulations

No additional information available

SECTION 16: Other information

Other information : None.

SDS US (GHS HazCom 2012)

This SDS summarizes our best knowledge of the Health and Safety Hazard information of the product and how to safely handle and use the product in the workplace. Each user must review this SDS in the context of how the product will be handled and used in the workplace. If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact Timermate Group Company, so we can attempt to obtain additional information from our suppliers. Our responsibility for products sold is subject to our Standard Terms and Conditions, A copy of which is sent to our customers and is also available on request.