

### SECTION 1: Identification

#### 1.1. Product identifier

Product form : Mixtures  
Trade name : Timbermate Water Based Woodfiller

#### 1.2. Recommended use and restrictions on use

No additional information available

#### 1.3. Supplier

##### **Manufacture:**

Timbermate Group  
1042 N Mountain Suite 291  
Upland CA 91786

Toll Free Phone (855)500-MATE  
Phone: (909)931-2100  
Fax: (909)543-4333

E-mail: kim@timbermategroup.com  
Web: www.timbermategroup.com  
Contact Person: Kim Middleton

##### **Supplier:**

Martin & Associates Industries  
16787 Hymus Blvd.  
Kirkland, QC, Canada  
H9H 3L4  
teL: 514-697-3000  
fax: 514 697 -4116

#### 1.4. Emergency telephone number

Emergency number : (855) 500-6283 and (909) 931-2100 (business hours)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### **Classification (GHS-CA)**

Not classified

#### 2.2. GHS Label elements, including precautionary statements

##### **GHS-CA labelling**

No labelling applicable

#### 2.3. Other hazards

Other hazards which do not result in classification : (Silica) Chemically and biologically inert when ingested in any of its physical forms. Chronic inhalation of certain samples of crystalline quartz, however, may cause a progressive pneumoconiosis commonly known as silicosis. Due to its physical form, exposure to this chemical is not likely.

#### 2.4. Unknown acute toxicity (GHS-CA)

No data available

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification (GHS-CA)
Barium sulfate	(CAS No) 7727-43-7	< 75	Not classified
Guar gum	(CAS No) 9000-30-0	> 10	Not classified
Water	(CAS No) 7732-18-5	< 5	Not classified

# Timbermate Water Based Woodfiller

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Name	Product identifier	%	Classification (GHS-CA)
Quartz	(CAS No) 14808-60-7	0.5 - 1	Not classified

### SECTION 4: First-aid measures

#### 4.1. Description of first aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice.
- First-aid measures after skin contact : Wash skin with plenty of water and soap. Obtain medical attention if irritation persists.
- First-aid measures after eye contact : Immediately flush eyes thoroughly with water for at least 15 minutes. Obtain medical attention if pain, blinking, tears or redness persists.
- First-aid measures after ingestion : Do NOT induce vomiting. Get medical advice/attention if you feel unwell.

#### 4.2. Most important symptoms and effects (acute and delayed)

- Symptoms/injuries : When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.
- Symptoms/injuries after skin contact : May cause mild skin irritation.
- Symptoms/injuries after eye contact : mild eye irritation.
- Potential Adverse human health effects and symptoms : When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

#### 4.3. Immediate medical attention and special treatment, if necessary

- Note to physician : : Treat symptomatically.

### SECTION 5: Fire-fighting measures

#### 5.1. Suitable extinguishing media

- Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire. Foam. Carbon dioxide. dry chemical powder.

#### 5.2. Unsuitable extinguishing media

- Unsuitable extinguishing media : Do not use a water jet since it may cause the fire to spread.

#### 5.3. Specific hazards arising from the hazardous product

- Fire hazard : Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases.
- Explosion hazard : No direct explosion hazard.

#### 5.4. Special protective equipment and precautions for fire-fighters

- Firefighting instructions : Keep upwind. Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
- Protective equipment for firefighters : Do not enter fire area without proper protective equipment, including respiratory protection.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Eliminate all ignition sources if safe to do so.

#### 6.2. Methods and materials for containment and cleaning up

- For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
- Methods for cleaning up : Absorb and/or contain spill with inert material (sand, vermiculite or other appropriate material), then place in suitable container. Do not allow to enter into surface water or drains.

#### 6.3. Reference to other sections

- Refer to Section 8 and 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- Precautions for safe handling : Avoid repeated or prolonged skin contact. Avoid breathing dust. Ensure adequate ventilation. Do not smoke. Keep away from children.
- Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

#### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Keep only in original container. Keep container closed when not in use. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Store in a dry, cool and well-ventilated place. Keep out of direct sunlight.
- Incompatible materials : None known.

# Timbermate Water Based Woodfiller

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

<b>Barium sulfate (7727-43-7)</b>		
Canada (Quebec)	VEMP (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (containing no Asbestos and <1% Crystalline silica-total dust) 5 mg/m <sup>3</sup> (containing no Asbestos and <1% Crystalline silica-respirable dust)
Alberta	OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
British Columbia	OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (total dust)
Manitoba	OEL TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> (particulate matter containing no Asbestos and <1% Crystalline silica-inhalable particulate matter)
New Brunswick	OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (particulate matter containing no Asbestos and <1% Crystalline silica)
New Foundland & Labrador	OEL TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> (particulate matter containing no Asbestos and <1% Crystalline silica-inhalable particulate matter)
Nova Scotia	OEL TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> (particulate matter containing no Asbestos and <1% Crystalline silica-inhalable particulate matter)
Nunavut	OEL STEL (mg/m <sup>3</sup> )	20 mg/m <sup>3</sup>
Nunavut	OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Northwest Territories	OEL STEL (mg/m <sup>3</sup> )	20 mg/m <sup>3</sup>
Northwest Territories	OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Ontario	OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (particulate matter containing no Asbestos and <1% Crystalline silica)
Prince Edward Island	OEL TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> (particulate matter containing no Asbestos and <1% Crystalline silica-inhalable particulate matter)
Québec	VEMP (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (containing no Asbestos and <1% Crystalline silica-total dust)
Saskatchewan	OEL STEL (mg/m <sup>3</sup> )	20 mg/m <sup>3</sup>
Saskatchewan	OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
<b>Quartz (14808-60-7)</b>		
Canada (Quebec)	VEMP (mg/m <sup>3</sup> )	0.1 mg/m <sup>3</sup> (respirable dust)
Alberta	OEL TWA (mg/m <sup>3</sup> )	0.025 mg/m <sup>3</sup> (respirable particulate)
British Columbia	OEL TWA (mg/m <sup>3</sup> )	0.025 mg/m <sup>3</sup> (respirable)
Manitoba	OEL TWA (mg/m <sup>3</sup> )	0.025 mg/m <sup>3</sup> (respirable particulate matter)
New Brunswick	OEL TWA (mg/m <sup>3</sup> )	0.1 mg/m <sup>3</sup> (respirable fraction)
New Foundland & Labrador	OEL TWA (mg/m <sup>3</sup> )	0.025 mg/m <sup>3</sup> (respirable particulate matter)
Nova Scotia	OEL TWA (mg/m <sup>3</sup> )	0.025 mg/m <sup>3</sup> (respirable particulate matter)
Nunavut	OEL TWA (mg/m <sup>3</sup> )	0.05 mg/m <sup>3</sup> (respirable fraction)
Northwest Territories	OEL TWA (mg/m <sup>3</sup> )	0.05 mg/m <sup>3</sup> (respirable fraction)
Ontario	OEL TWA (mg/m <sup>3</sup> )	0.10 mg/m <sup>3</sup> (designated substances regulation-respirable)
Prince Edward Island	OEL TWA (mg/m <sup>3</sup> )	0.025 mg/m <sup>3</sup> (respirable particulate matter)
Québec	VEMP (mg/m <sup>3</sup> )	0.1 mg/m <sup>3</sup> (respirable dust)
Saskatchewan	OEL TWA (mg/m <sup>3</sup> )	0.05 mg/m <sup>3</sup> (respirable fraction)
Yukon	OEL TWA (mg/m <sup>3</sup> )	300 particle/mL

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Use adequate general or local ventilation to keep airborne concentrations below the exposure limits.

#### 8.3. Individual protection measures/Personal protective equipment

Personal protective equipment : Gloves. Protective goggles. Protective clothing.



Materials for protective clothing : Long sleeved protective clothing.

Hand protection : Wear suitable gloves resistant to chemical penetration.

# Timbermate Water Based Woodfiller

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Eye protection	: In case of dust production: protective goggles.
Respiratory protection	: No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation. If airborne concentrations are above the applicable exposure limits, use approved respirator for dust.
Environmental exposure controls	: Avoid discharge to the environment.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Paste.
Colour	: Coloured
Odour	: Mild odour
Odour threshold	: No data available
pH	: No data available
pH solution	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: Not applicable
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Vapour pressure at 50 °C	: No data available
Relative vapour density at 20 °C	: Not available
Relative density	: No data available
Relative density of saturated gas/air mixture	: No data available
Density	: ≈ 2.13 Weight/Gallon: approx. 18 lbs/gal
Relative gas density	: No data available
Solubility	: Water: Not available
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

#### 9.2. Other information

VOC content	: None
-------------	--------

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Reactivity	: Stable under normal conditions of use.
Chemical stability	: Hazardous polymerization will not occur.
Possibility of hazardous reactions	: No dangerous reactions known.
Conditions to avoid	: None known.
Incompatible materials	: None known.
Hazardous decomposition products	: Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Likely routes of exposure	: Ingestion. Inhalation. Skin and Eye contact.
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Not classified

# Timbermate Water Based Woodfiller

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

#### 12.2. Persistence and degradability

##### Timbermate Water Based Woodfiller

Persistence and degradability	Product is not easily biodegradable.
-------------------------------	--------------------------------------

#### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

GWPmix comment : No known effects from this product.

### SECTION 13: Disposal considerations

#### 13.1. Disposal methods

Waste disposal recommendations : Comply with local regulations for disposal.

### SECTION 14: Transport information

#### 14.1. Basic shipping description

In accordance with TDG

##### TDG

Not regulated for transport

#### 14.2. Transport information/DOT

##### DOT

Not regulated for transport

#### 14.3. Air and sea transport

##### IMDG

Not regulated for transport

##### IATA

Not regulated for transport

### SECTION 15: Regulatory information

#### 15.1. National regulations

##### Barium sulfate (7727-43-7)

Listed on the Canadian DSL (Domestic Substances List)

##### Quartz (14808-60-7)

Listed on the Canadian DSL (Domestic Substances List)

##### Guar gum (9000-30-0)

Listed on the Canadian DSL (Domestic Substances List)

##### Water (7732-18-5)

Listed on the Canadian DSL (Domestic Substances List)

#### 15.2. International regulations

# Timbermate Water Based Woodfiller

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### Barium sulfate (7727-43-7)

Listed on the AICS (Australian Inventory of Chemical Substances)  
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)  
Listed on ELINCS (European List of Notified Chemical Substances)  
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
Listed on the Korean ECL (Existing Chemicals List)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
Listed on the United States TSCA (Toxic Substances Control Act) inventory  
Listed on INSQ (Mexican National Inventory of Chemical Substances)  
Listed on CICR (Turkish Inventory and Control of Chemicals)

### Quartz (14808-60-7)

Listed on the AICS (Australian Inventory of Chemical Substances)  
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)  
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
Listed on the Korean ECL (Existing Chemicals List)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
Listed on the United States TSCA (Toxic Substances Control Act) inventory  
Listed on INSQ (Mexican National Inventory of Chemical Substances)  
Listed on CICR (Turkish Inventory and Control of Chemicals)

### Guar gum (9000-30-0)

Listed on the AICS (Australian Inventory of Chemical Substances)  
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)  
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
Listed on the Korean ECL (Existing Chemicals List)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
Listed on the United States TSCA (Toxic Substances Control Act) inventory  
Listed on INSQ (Mexican National Inventory of Chemical Substances)  
Listed on CICR (Turkish Inventory and Control of Chemicals)

### Water (7732-18-5)

Listed on the AICS (Australian Inventory of Chemical Substances)  
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)  
Listed on the Korean ECL (Existing Chemicals List)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
Listed on the United States TSCA (Toxic Substances Control Act) inventory  
Listed on INSQ (Mexican National Inventory of Chemical Substances)

## SECTION 16: Other information

Date of issue : September 30, 2016  
Indication of changes : None.  
Other information : None.

SDS Canada (GHS)

*This SDS summarizes our best knowledge of the Health and Safety Hazard information of the product and how to safely handle and use the product in the workplace. Each user must review this SDS in the context of how the product will be handled and used in the workplace. If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact Timbermate Group Company, so we can attempt to obtain additional information from our suppliers. Our responsibility for products sold is subject to our Standard Terms and Conditions. A copy of which is sent to our customers and is also available on request.*